

TEMPLE



Tools **E**nabling **M**etabolic **P**arents **L**Earning

ADAPTED BY THE DIETITIANS GROUP

BIMDG

British Inherited Metabolic Diseases Group



BASED ON THE ORIGINAL TEMPLE WRITTEN BY
BURGARD AND WENDEL


VERSION 2, FEBRUARY 2017

HCU

Supported by  **NUTRICIA**
as a service to metabolic medicine

HCU

Information for families following
a positive newborn screening



ADAPTED BY THE DIETITIANS GROUP

BIMDG

British Inherited Metabolic Diseases Group



BASED ON THE ORIGINAL TEMPLE WRITTEN BY
BURGARD AND WENDEL

VERSION 2, FEBRUARY 2017

TEMPLE





Tools Enabling Metabolic Parents LEarning

Supported by **NUTRICIA**
as a service to metabolic medicine



What is HCU?

HCU stands for Homocystinuria

It is an inherited metabolic condition



What is HCU?




HCU and protein



HCU affects the way your baby breaks down protein

Many foods contain protein

The body needs protein for growth and repair




What is protein?



Protein and enzymes


Protein is broken down into amino acids (building blocks of protein) by enzymes (which are like chemical scissors).

Enzymes then further break the amino acids into smaller parts.




Protein metabolism

Metabolism refers to the chemical processes that occur inside the cells of the body.



Anabolism



Catabolism


What can go wrong in HCU?

The build up of homocysteine can cause many problems:


Short sightedness and dislocated eye lenses




Difficulties with learning and behaviour



Long and thin bones



Blood clots and strokes



How is HCU diagnosed?

HCU is diagnosed by newborn screening. High levels of methionine and homocysteine are found in the blood.





How is HCU managed?

In some people with HCU, the enzyme does not work without the help of a vitamin called vitamin B6 (together with folic acid).



This vitamin helps the enzyme work better and if successful, is the only management needed in about 10% of patients.



How is HCU managed?

In some people with HCU, the enzyme does not work without the help of a vitamin called vitamin B6 (together with folic acid).



This vitamin helps the enzyme work better and if successful, is the only management needed in about 10% of patients.



How is HCU managed?

HCU is managed with the following special diet:

Limited high protein foods




Measured amounts of methionine (protein) containing foods



A protein substitute. Sometimes extra cystine is needed



Low protein foods



How is HCU managed?

HCU is managed with the following special diet:

Limited high protein foods




Measured amounts of methionine (protein) containing foods



A protein substitute. Sometimes extra cystine is needed



Low protein foods



How is HCU managed?

HCU is managed with the following special diet:

Limited high protein foods




Measured amounts of methionine (protein) containing foods



A protein substitute. Sometimes extra cystine is needed



Low protein foods



How is HCU managed?

HCU is managed with the following special diet:

Limited high protein foods




Measured amounts of methionine (protein) containing foods



A protein substitute. Sometimes extra cystine is needed




Low protein foods




How is HCU managed?

Other forms of management may include:

A drug called betaine. Betaine can help lower the amount of homocysteine in the blood




Folic acid and vitamin B12 supplements




How is HCU managed?

Other forms of management may include:

A drug called betaine. Betaine can help lower the amount of homocysteine in the blood



Folic acid and vitamin B12 supplements



High protein foods

These foods are high in methionine (protein) and must be avoided: **meat, fish, eggs, cheese, bread, pasta, nuts, seeds, soya, Quorn and tofu.**



Measured methionine intake

In babies, a restricted amount of methionine (protein) is given from breast milk or measured amounts of infant formula.

The amount given will be monitored regularly by your specialist metabolic dietitian.




Protein substitute

Protein substitute is essential for metabolic control.

It will help to meet your baby's protein, energy, vitamin and mineral requirements.

It is available on prescription.




Low protein foods

There are many low protein foods. These include fruit, many vegetables and prescribable low protein foods such as bread and pasta.

They provide:


- a source of energy
- variety in the diet



How is HCU managed during illness?


During any childhood illness, catabolism or protein breakdown occurs, causing blood homocysteine levels to increase.

It is important to continue with the usual diet as much as possible.



How is HCU monitored?

Frequent blood tests to check homocysteine, methionine and cystine



Height and weight



Developmental checks




Diet and medications are adjusted according to age, weight and blood chemical levels



How is HCU monitored?

Frequent blood tests to check homocysteine, methionine and cystine



Height and weight



Developmental checks




Diet and medications are adjusted according to age, weight and blood chemical levels



How is HCU monitored?

Frequent blood tests to check homocysteine, methionine and cystine




Height and weight



Developmental checks



Diet and medications are adjusted according to age, weight and blood chemical levels



How is HCU monitored?



Frequent blood tests to check homocysteine, methionine and cystine



Height and weight




Developmental checks




Diet and medications are adjusted according to age, weight and blood chemical levels



Chromosomes, genes, mutations



Chromosomes, genes, mutations



 Humans have chromosomes composed of DNA


 Genes are pieces of DNA that carry the genetic instruction. Each chromosome may have several thousand genes

 The word mutation means a change or error in the genetic instruction

 We inherit particular chromosomes from the egg of the mother and sperm of the father

 The genes on those chromosomes carry the instruction that determines characteristics, which are a combination of the parents

Chromosomes, genes, mutations



Humans have chromosomes composed of DNA



Genes are pieces of DNA that carry the genetic instruction. Each chromosome may have several thousand genes



The word mutation means a change or error in the genetic instruction




We inherit particular chromosomes from the egg of the mother and sperm of the father



The genes on those chromosomes carry the instruction that determines characteristics, which are a combination of the parents

Chromosomes, genes, mutations



Humans have chromosomes composed of DNA



Genes are pieces of DNA that carry the genetic instruction. Each chromosome may have several thousand genes



The word mutation means a change or error in the genetic instruction




We inherit particular chromosomes from the egg of the mother and sperm of the father



The genes on those chromosomes carry the instruction that determines characteristics, which are a combination of the parents

Chromosomes, genes, mutations



Humans have chromosomes composed of DNA



Genes are pieces of DNA that carry the genetic instruction. Each chromosome may have several thousand genes



The word mutation means a change or error in the genetic instruction




We inherit particular chromosomes from the egg of the mother and sperm of the father



The genes on those chromosomes carry the instruction that determines characteristics, which are a combination of the parents

Inheritance




HCU is an inherited condition. There is nothing that could have been done to prevent your baby from having HCU

Everyone has a pair of genes that make the cystathionine beta-synthase enzyme. In children with HCU neither of these genes work correctly. These children inherit one non-working HCU gene from each parent

Parents of children with HCU are carriers of the condition

Carriers do not have HCU because the other gene of this pair is working correctly

Inheritance



HCU is an inherited condition. There is nothing that could have been done to prevent your baby from having HCU




Everyone has a pair of genes that make the cystathionine beta-synthase enzyme. In children with HCU neither of these genes work correctly. These children inherit one non-working HCU gene from each parent

Parents of children with HCU are carriers of the condition

Carriers do not have HCU because the other gene of this pair is working correctly

Inheritance



HCU is an inherited condition. There is nothing that could have been done to prevent your baby from having HCU




Everyone has a pair of genes that make the cystathionine beta-synthase enzyme. In children with HCU neither of these genes work correctly. These children inherit one non-working HCU gene from each parent



Parents of children with HCU are carriers of the condition

Carriers do not have HCU because the other gene of this pair is working correctly

Inheritance



HCU is an inherited condition. There is nothing that could have been done to prevent your baby from having HCU




Everyone has a pair of genes that make the cystathionine beta-synthase enzyme. In children with HCU neither of these genes work correctly. These children inherit one non-working HCU gene from each parent




Parents of children with HCU are carriers of the condition

Carriers do not have HCU because the other gene of this pair is working correctly


Inheritance – Autosomal recessive (carriers of HCU)



Inheritance – Autosomal recessive – possible combinations



Future pregnancies




Take home messages

✓ HCU is a serious inherited metabolic disorder

Damage can be prevented with a protein restricted diet and a protein substitute

With early management normal development is achievable. This should also prevent long term complications such as osteoporosis (thin bones), blood clots and strokes




Take home messages

✓ HCU is a serious inherited metabolic disorder

✓ Damage can be prevented with a protein restricted diet and a protein substitute

With early management normal development is achievable. This should also prevent long term complications such as osteoporosis (thin bones), blood clots and strokes




Take home messages


✓ HCU is a serious inherited metabolic disorder

✓ Damage can be prevented with a protein restricted diet and a protein substitute

✓ With early management normal development is achievable. This should also prevent long term complications such as osteoporosis (thin bones), blood clots and strokes



Helpful hints




Always ensure you have a good supply of your dietary products and medicines and that they are in date

Your dietary products are prescribed by your GP. These are obtained via a pharmacy or home delivery

Always ensure you have sufficient blood testing equipment and send samples on a regular basis

Medications to control fever should be given as normally recommended – always keep supplies available

Helpful hints



Always ensure you have a good supply of your dietary products and medicines and that they are in date




Your dietary products are prescribed by your GP. These are obtained via a pharmacy or home delivery

Always ensure you have sufficient blood testing equipment and send samples on a regular basis

Medications to control fever should be given as normally recommended – always keep supplies available

Helpful hints



Always ensure you have a good supply of your dietary products and medicines and that they are in date




Your dietary products are prescribed by your GP. These are obtained via a pharmacy or home delivery



Always ensure you have sufficient blood testing equipment and send samples on a regular basis

Medications to control fever should be given as normally recommended – always keep supplies available

Helpful hints



Always ensure you have a good supply of your dietary products and medicines and that they are in date



Your dietary products are prescribed by your GP. These are obtained via a pharmacy or home delivery



Always ensure you have sufficient blood testing equipment and send samples on a regular basis



Medications to control fever should be given as normally recommended – always keep supplies available

Who's who

- My dietitians
- My nurses
- My doctors
 - Contact details, address, photos

Visit www.lowproteinconnect.com
and register to get access to support
and practical advice for those living
on a low protein diet.

The site also provides
information on upcoming
events and personal stories
from others on a low
protein diet.



BIMDG

British Inherited Metabolic Diseases Group



www.bimdg.org.uk

NUTRICIA
Advanced Medical Nutrition

www.nutricia.co.uk



ClimbTM

Children Living with
Inherited Metabolic Diseases

www.climb.org.uk